

## CLASSICAL TIMING BELTS: XL, L & H

|    | Pitch-Inch | Pitch-mm | T    | B    | Width                        | Profile                                                                            | Material                   |
|----|------------|----------|------|------|------------------------------|------------------------------------------------------------------------------------|----------------------------|
| XL | 1/5"       | 5.08     | 1.27 | 2.30 | 1/4" & 3/8"                  |  | EN8, MS,<br>SS,<br>DELTRIN |
| L  | 3/8"       | 9.53     | 1.91 | 3.50 | 1/2" & 3/4" & 1"             |                                                                                    |                            |
| H  | 1/2"       | 12.70    | 2.29 | 4.00 | 3/4" & 1" & 1.1/2" & 2" & 3" |                                                                                    |                            |

| XL  | Teeth | Pitch-MM |
|-----|-------|----------|
| 60  | 30    | 152.40   |
| 70  | 35    | 177.80   |
| 80  | 40    | 203.20   |
| 90  | 45    | 228.60   |
| 100 | 50    | 254.00   |
| 110 | 55    | 279.40   |
| 120 | 60    | 304.80   |
| 130 | 65    | 330.20   |
| 140 | 70    | 355.60   |
| 150 | 75    | 381.00   |
| 160 | 80    | 406.40   |
| 170 | 85    | 431.80   |
| 180 | 90    | 457.20   |
| 190 | 95    | 482.60   |
| 200 | 100   | 508.00   |
| 210 | 105   | 533.40   |
| 220 | 110   | 558.80   |
| 230 | 115   | 584.20   |
| 240 | 120   | 609.60   |
| 250 | 125   | 635.00   |
| 260 | 130   | 660.40   |

| L   | Teeth | Pitch-MM |
|-----|-------|----------|
| 124 | 33    | 315.00   |
| 150 | 40    | 381.00   |
| 187 | 50    | 475.00   |
| 210 | 56    | 533.00   |
| 225 | 60    | 571.00   |
| 240 | 64    | 609.60   |
| 255 | 68    | 647.70   |
| 270 | 72    | 685.80   |
| 285 | 76    | 723.90   |
| 300 | 80    | 762.00   |
| 322 | 86    | 817.90   |
| 345 | 92    | 876.30   |
| 367 | 98    | 932.20   |
| 390 | 104   | 990.60   |
| 420 | 112   | 1066.80  |
| 450 | 120   | 1143.00  |
| 480 | 128   | 1219.20  |
| 510 | 136   | 1295.40  |
| 540 | 144   | 1371.60  |
| 600 | 160   | 1524.00  |

| H    | Teeth | Pitch-MM |
|------|-------|----------|
| 240  | 48    | 609.60   |
| 270  | 54    | 685.80   |
| 300  | 60    | 762.00   |
| 330  | 66    | 838.20   |
| 360  | 72    | 914.40   |
| 390  | 78    | 990.60   |
| 480  | 96    | 1219.20  |
| 510  | 102   | 1295.40  |
| 570  | 114   | 1447.80  |
| 600  | 120   | 1524.00  |
| 660  | 132   | 1676.40  |
| 700  | 140   | 1778.00  |
| 750  | 150   | 1905.00  |
| 800  | 160   | 2032.00  |
| 850  | 170   | 2159.00  |
| 900  | 180   | 2286.00  |
| 1000 | 200   | 2540.00  |
| 1100 | 220   | 2794.00  |
| 1250 | 250   | 3175.00  |
| 1400 | 280   | 3556.00  |
| 1700 | 340   | 4318.00  |

## HTD TIMING BELTS: 3M & 5M

| Pitch | T     | B    | Width-mm | Profile                                                                            | Material                  |
|-------|-------|------|----------|------------------------------------------------------------------------------------|---------------------------|
| 3mm   | 1.10  | 2.40 | 9/15     |  | EN8, MS,<br>SS,<br>DELRIN |
| 5mm   | 2.10. | 3.80 | 9/15/25  |                                                                                    |                           |

| 3M   | Teeth |
|------|-------|
| 150  | 50    |
| 156  | 52    |
| 159  | 53    |
| 210  | 70    |
| 225  | 75    |
| 255  | 85    |
| 285  | 95    |
| 288  | 96    |
| 291  | 97    |
| 300  | 100   |
| 306  | 102   |
| 312  | 104   |
| 330  | 110   |
| 345  | 115   |
| 357  | 119   |
| 384  | 128   |
| 420  | 140   |
| 447  | 149   |
| 513  | 171   |
| 531  | 177   |
| 564  | 188   |
| 633  | 211   |
| 669  | 223   |
| 711  | 237   |
| 804  | 268   |
| 1500 | 500   |

| 5M  | Teeth |
|-----|-------|
| 120 | 24    |
| 180 | 36    |
| 225 | 45    |
| 255 | 51    |
| 265 | 53    |
| 270 | 54    |
| 280 | 56    |
| 295 | 59    |
| 300 | 60    |
| 305 | 61    |
| 325 | 65    |
| 330 | 66    |
| 340 | 68    |
| 345 | 69    |
| 350 | 70    |
| 360 | 72    |
| 370 | 74    |
| 375 | 75    |
| 400 | 80    |
| 425 | 85    |
| 450 | 90    |
| 475 | 95    |
| 500 | 100   |
| 520 | 104   |
| 525 | 105   |
| 535 | 107   |

| 5M   | Teeth |
|------|-------|
| 560  | 112   |
| 575  | 115   |
| 580  | 116   |
| 600  | 120   |
| 610  | 122   |
| 615  | 123   |
| 635  | 127   |
| 640  | 128   |
| 645  | 129   |
| 670  | 134   |
| 700  | 140   |
| 750  | 150   |
| 800  | 160   |
| 825  | 165   |
| 835  | 167   |
| 860  | 172   |
| 890  | 178   |
| 900  | 180   |
| 935  | 187   |
| 950  | 190   |
| 980  | 196   |
| 1035 | 207   |
| 1100 | 220   |

## HTD TIMING BELTS: 8M & 14M

| Pitch | T    | B     | Width-mm         | Profile                                                                            | Material               |
|-------|------|-------|------------------|------------------------------------------------------------------------------------|------------------------|
| 8 MM  | 3.40 | 6.00  | 20/30/55/85      |  | EN8, MS, SS,<br>DELRIN |
| 14 MM | 6.00 | 10.00 | 40/55/85/115/170 |                                                                                    |                        |

| 8M   | Teeth |
|------|-------|
| 480  | 60    |
| 560  | 70    |
| 600  | 75    |
| 640  | 80    |
| 720  | 90    |
| 800  | 100   |
| 880  | 110   |
| 960  | 120   |
| 1040 | 130   |
| 1120 | 140   |
| 1200 | 150   |
| 1280 | 160   |
| 1440 | 180   |
| 1600 | 200   |
| 1760 | 220   |
| 1800 | 225   |
| 2000 | 250   |
| 2400 | 300   |
| 2600 | 325   |
| 2800 | 350   |

| 14M  | Teeth |
|------|-------|
| 966  | 69    |
| 1190 | 85    |
| 1400 | 100   |
| 1610 | 115   |
| 1778 | 127   |
| 1890 | 135   |
| 2100 | 150   |
| 2310 | 165   |
| 2450 | 175   |
| 2590 | 185   |
| 2800 | 200   |
| 3150 | 225   |
| 3500 | 250   |
| 3850 | 275   |
| 4326 | 309   |
| 4578 | 327   |

## METRIC TIMING BELTS: T2.5 & T5

| Pitch-mm | T    | B    | Width-mm | Profile                                                                            | Material                |
|----------|------|------|----------|------------------------------------------------------------------------------------|-------------------------|
| 2.50     | 0.70 | 1.30 | 6.00     |  | EN8, MS, SS,<br>DELTRIN |
| 5.00     | 1.20 | 2.20 | 10/16/25 |                                                                                    |                         |

| 2.5M  | Teeth |
|-------|-------|
| 120   | 48    |
| 145   | 58    |
| 160   | 64    |
| 177.5 | 71    |
| 182.5 | 73    |
| 185   | 74    |
| 200   | 80    |
| 245   | 98    |
| 265   | 106   |
| 305   | 122   |
| 317.5 | 127   |
| 330   | 132   |
| 380   | 152   |
| 395   | 158   |
| 420   | 168   |
| 480   | 192   |
| 500   | 200   |
| 540   | 216   |
| 600   | 240   |
| 620   | 248   |
| 650   | 260   |
| 680   | 272   |
| 700   | 280   |
| 780   | 312   |
| 880   | 352   |
| 915   | 366   |
| 950   | 380   |
| 1185  | 474   |

| 5M  | Teeth |
|-----|-------|
| 150 | 30    |
| 165 | 33    |
| 180 | 36    |
| 185 | 37    |
| 200 | 40    |
| 210 | 42    |
| 215 | 43    |
| 250 | 50    |
| 255 | 51    |
| 270 | 54    |
| 275 | 55    |
| 280 | 56    |
| 295 | 59    |
| 305 | 61    |
| 315 | 63    |
| 330 | 66    |
| 340 | 68    |
| 350 | 70    |
| 355 | 71    |
| 390 | 78    |
| 400 | 80    |
| 410 | 82    |
| 445 | 89    |
| 450 | 90    |
| 455 | 91    |
| 460 | 92    |
| 475 | 95    |
| 480 | 96    |
| 500 | 100   |
| 510 | 102   |
| 525 | 105   |

| 5M   | Teeth |
|------|-------|
| 545  | 109   |
| 550  | 110   |
| 560  | 112   |
| 575  | 115   |
| 590  | 118   |
| 610  | 122   |
| 620  | 124   |
| 660  | 132   |
| 675  | 135   |
| 700  | 140   |
| 720  | 144   |
| 750  | 150   |
| 765  | 153   |
| 780  | 156   |
| 815  | 163   |
| 830  | 166   |
| 860  | 172   |
| 885  | 177   |
| 900  | 180   |
| 990  | 198   |
| 1075 | 215   |
| 1100 | 220   |
| 1160 | 232   |
| 1200 | 240   |
| 1215 | 243   |
| 1275 | 255   |
| 1280 | 256   |
| 1315 | 263   |
| 1355 | 271   |
| 1380 | 276   |
| 1955 | 391   |

## METRIC TIMING BELTS: T10

| Pitch | T    | B    | Width-mm    | Profile                                                                            | Material                   |
|-------|------|------|-------------|------------------------------------------------------------------------------------|----------------------------|
| 10mm  | 2.50 | 4.50 | 16/25/32/50 |  | EN8, MS,<br>SS,<br>DELTRIN |

| T10 | Teeth |
|-----|-------|
| 260 | 26    |
| 340 | 34    |
| 390 | 39    |
| 400 | 40    |
| 410 | 41    |
| 450 | 45    |
| 480 | 48    |
| 500 | 50    |
| 530 | 53    |
| 560 | 56    |
| 600 | 60    |
| 630 | 63    |
| 660 | 66    |
| 680 | 68    |
| 690 | 69    |
| 700 | 70    |
| 720 | 72    |
| 750 | 75    |
| 780 | 78    |
| 810 | 81    |
| 840 | 84    |
| 880 | 88    |
| 890 | 89    |
| 900 | 90    |
| 910 | 91    |
| 960 | 96    |
| 970 | 97    |
| 980 | 98    |

| T10  | Teeth |
|------|-------|
| 1010 | 101   |
| 1080 | 108   |
| 1100 | 110   |
| 1110 | 111   |
| 1140 | 114   |
| 1150 | 115   |
| 1210 | 121   |
| 1240 | 124   |
| 1250 | 125   |
| 1300 | 130   |
| 1320 | 132   |
| 1350 | 135   |
| 1390 | 139   |
| 1400 | 140   |
| 1420 | 142   |
| 1450 | 145   |
| 1460 | 146   |
| 1500 | 150   |
| 1560 | 156   |
| 1610 | 161   |
| 1750 | 175   |
| 1780 | 178   |
| 1880 | 188   |
| 1960 | 196   |
| 2250 | 225   |

## METRIC TIMING BELTS: AT5 & AT10

| Pitch-mm | T    | B    | Width-mm    | Profile                                                                            | Material                |
|----------|------|------|-------------|------------------------------------------------------------------------------------|-------------------------|
| 5 mm     | 1.20 | 2.50 | 10/16/25    |  | EN8, MS, SS,<br>DELTRIN |
| 10 mm    | 2.70 | 4.50 | 16/25/32/50 |                                                                                    |                         |

| 5MM  | Teeth |
|------|-------|
| 225  | 45    |
| 255  | 51    |
| 275  | 55    |
| 280  | 56    |
| 300  | 60    |
| 330  | 66    |
| 340  | 68    |
| 375  | 75    |
| 390  | 78    |
| 420  | 84    |
| 450  | 90    |
| 455  | 91    |
| 500  | 100   |
| 545  | 109   |
| 600  | 120   |
| 610  | 122   |
| 630  | 126   |
| 660  | 132   |
| 710  | 142   |
| 720  | 144   |
| 750  | 150   |
| 780  | 156   |
| 825  | 165   |
| 860  | 172   |
| 975  | 195   |
| 1050 | 210   |
| 1125 | 225   |
| 1500 | 300   |
| 2000 | 400   |

| 10MM | Teeth |
|------|-------|
| 500  | 50    |
| 560  | 56    |
| 600  | 60    |
| 610  | 61    |
| 660  | 66    |
| 700  | 70    |
| 730  | 73    |
| 780  | 78    |
| 800  | 80    |
| 810  | 81    |
| 840  | 84    |
| 880  | 88    |
| 890  | 89    |
| 920  | 92    |
| 960  | 96    |
| 980  | 98    |
| 1000 | 100   |
| 1010 | 101   |
| 1050 | 105   |
| 1080 | 108   |
| 1100 | 110   |

| 10MM | Teeth |
|------|-------|
| 1150 | 115   |
| 1200 | 120   |
| 1210 | 121   |
| 1220 | 122   |
| 1250 | 125   |
| 1280 | 128   |
| 1300 | 130   |
| 1320 | 132   |
| 1350 | 135   |
| 1360 | 136   |
| 1400 | 140   |
| 1420 | 142   |
| 1480 | 148   |
| 1500 | 150   |
| 1600 | 160   |
| 1700 | 170   |
| 1720 | 172   |
| 1800 | 180   |
| 1860 | 186   |
| 1940 | 194   |